



YOUR  
BETTER  
LIGHTING  
PARTNER

LegendLite

## Who We Are

Legendlite is built on over 20 years of experience in lighting manufacturing, serving global markets with products for modern residential and commercial spaces. Through steady growth and long-term partnerships, we continue to evolve with the industry—delivering trusted lighting solutions shaped by design, quality, and long-term vision.

Your better  
lighting partner

## Why We Create

We believe lighting should balance design, function, and lasting value. Every product is developed to deliver refined aesthetics, comfortable illumination, and dependable everyday performance.



## What We Do

We work side by side with our clients to develop lighting products that truly fit their markets. Our in-house team integrates design, engineering, optics, and electronics to create solutions that are visually clean, technically reliable, and commercially competitive.

With over two decades in the lighting industry, we have a sharp understanding of global market dynamics and trends. This allows us to help clients quickly identify opportunities, align product positioning, and shorten time-to-market.

Our experience covers local brands, e-commerce platforms, and project contractors. We focus on clear, efficient communication—quickly understanding project requirements and providing practical, timely solutions across different business models.







































## What We Value

We carefully select environmentally responsible and durable materials to reduce environmental impact while maintaining refined finishes and product quality. Every product undergoes strict testing and quality control to ensure safe, consistent, and reliable performance.

# OUR PRODUCT
























MINI  
TWO WIRES  
SINGLE CIRCUIT

P1-P9

































































							
LIC-MT1066	LIC-MT1050	LIC-MTLED053-12	LIC-MTLED054-5	LIC-MTLED054-10	LIC-MTLED055-5	LIC-MTLED055-10	
							
LIC-MTLED056-10	LIC-MTLED057-6	LIC-MTLED057-12	LIC-MTLED063-6	LIC-MTLED063-8	LIC-MTLED063-10	LIC-MTLED070-A	LIC-MTLED070-B
							
LIC-MTLED071	LIC-MTLED031-5	LIC-MTLED031-10	LIC-MT1089	LIC-MT1087	LIC-MT1099-2	LIC-MT1102	LIC-MT1074
							
LIC-MT1098-MR11	LIC-MT1097-MR11	LIC-MT1056	LIC-MT1098-GU10	LIC-MT1097-GU10	LIC-MT1100	LIC-MT1101	LIC-MT1104A
							
LIC-MT1104	LIC-MT1103A	LIC-MT1103	Surface Track	Trimless Track	Adaptor	Straight Connector	I-feed
							
L-feed	T-feed	X-feed	Flexible Connector	Pendant Clamp	Power Feed	End Cap	

TWO WIRES  
SINGLE CIRCUIT


P10-P16

							
LIC-C025 PMMA	LIC-C025-200	LIC-T1049	LIC-T1047	LIC-T1048	LIC-T1067	LIC-T1074	
							
LIC-T1019	LIC-T1019 PMMA	LIC-T1020-B	LIC-T1056-A	LIC-T1011	LIC-T1079	LIC-M010 W-B	LIC-M010 O-W
							
LIC-C006-1	LIC-T1078	LIC-T1081	LIC-T1021	Surface Track	Adaptor	Straight Connector	I-feed

# OUR PRODUCT

 L-Connector	 T-Connector	 X-Connector	 Flexible Connector	 Power Feed	 End Cap	 Pendant Sets	 Adaptor With Cable (Round Ceiling Box)
 Adaptor With Cable (Square Ceiling Box)	 Adaptor With Cable (Round Ceiling Box)	 Adaptor with cable (square ceiling box)					
<b>THREE WIRES SINGLE CIRCUIT</b>							
<b>P17-P21</b>	 LIC-2055T-GU10	 LIC-T1054	 LIC-T1020	 LIC-T1035	 LIC-T005	 LIC-T1056	 LIC-T1091
 LIC-T1098-GU10	 LIC-T1088	 LIC-T1077	 LIC-T1082	 LIC-T1103	 Surface Track	 Adaptor	 Straight Connector
 I-feed	 L-feed	 T-feed	 X-feed	 Flexible Connector	 Power Feed	 End Cap	
<b>CEILING RECESSED</b>							
<b>P22-28</b>	 LIC-D085	 LIC-D086	 LIC-D087	 LIC-D088	 LIC-7066	 LIC-7067	 LIC-7166
 LIC-7167	 LIC-D062-54	 LIC-D090-1	 LIC-D090-1L	 LIC-7087	 LIC-7086	 LIC-7187	 LIC-7186
 LIC-8568R	 LIC-8568S	 LIC-8575R-B	 LIC-8575S-B	 LIC-158R	 LIC-158C	 LIC-1022A	 LIC-1021A
 LIC-8370R-C	 LIC-8370S-C	 LIC-1226 IP65	 LIC-1227 IP65	 LIC-D062-60	 LIC-D057A	 LIC-E13A	 LIC-E13B

# OUR PRODUCT



LIC-E13C



LIC-E13D




LIC-E13E

## CEILING SURFACE


### P29-P31




LIC-C073



LIC-C074



LIC-C076-54



LIC-C076-70



LIC-1032



LIC-C081



LIC-C083



LIC-1107R




LIC-1107S



LIC-1207S




LIC-C085




LIC-C086

## CEILING SUSPENDED


### P32-33




LIC-T1068 MINI



LIC-T1068



LIC-T1075-70



LIC-T1075-85

## WALL SURFACE

### P34-35




LIC-W003-110



LIC-W004-200




LIC-W007-1




LIC-W007-2

# MINI TWO WIRES SINGLE CIRCUIT


Art No.LIC-MTLED056-10



Art No.LIC-MTLED054-10




Art No.LIC-MT1099-2



Art No.LIC-MT1098-CU10




Art No.LIC-MT1100



PENDANT

Art No.LIC-MT1066




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-MT1050




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/white  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240v 50/60hz  
**Power:** Max 7w




SPOTLIGHT

Art No.LIC-MTLED053-12



Technical Specification

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** Integrated Driver  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 12W  
**Power Factor:** >0.5  
**Light Source:** LED/SMD  
**Luminous Flux:** 800 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Opal Diffuser  
**Beam Angle:** 100°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED054-5



Technical Specification

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** Integrated Driver  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 5W  
**Power Factor:** >0.5  
**Light Source:** LED/SMD  
**Luminous Flux:** 400 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED054-10



Technical Specification

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** Integrated Driver  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 10W  
**Power Factor:** >0.5  
**Light Source:** LED/SMD  
**Luminous Flux:** 800 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED055-5



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** Integrated Driver  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 5W  
**Power Factor :** >0.5  
**Light Source:** LED/SMD  
**Luminous Flux:** 400 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED055-10



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** Integrated Driver  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 10W  
**Power Factor :** >0.5  
**Light Source:** LED/SMD  
**Luminous Flux:** 800 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED056-10



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** Integrated Driver  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 10W  
**Power Factor :** >0.5  
**Light Source:** LED/SMD  
**Luminous Flux:** 800 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED057-6



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** Integrated Driver  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 6W  
**Power Factor :** >0.5  
**Light Source:** LED/SMD  
**Luminous Flux:** 420 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED057-12



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** Integrated Driver  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 12W  
**Power Factor :** >0.5  
**Light Source:** LED/SMD  
**Luminous Flux:** 840 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED063-6



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** DOB  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 6W  
**Power Factor :** >0.5  
**Light Source:** LED/COB  
**Luminous Flux:** 420 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED063-8



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** DOB  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 8W  
**Power Factor :** >0.5  
**Light Source:** LED/COB  
**Luminous Flux:** 550 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED063-10



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** DOB  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 10W  
**Power Factor :** >0.5  
**Light Source:** LED/COB  
**Luminous Flux:** 700 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED070-A



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** DOB  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 5W  
**Power Factor :** >0.5  
**Light Source:** LED/COB  
**Luminous Flux:** 250 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Opal Diffuser  
**Beam Angle:** 100°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED070-B



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** DOB  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 5W  
**Power Factor :** >0.5  
**Light Source:** LED/COB  
**Luminous Flux:** 250 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Opal Diffuser  
**Beam Angle:** 100°  
**Lifespan:** 30000Hrs





Art No.LIC-MTLED071



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** DOB  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 3W  
**Power Factor :** >0.5  
**Light Source:** LED/COB  
**Luminous Flux:** 150 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Opal Diffuser  
**Beam Angle:** 270°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED031-5



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** DOB  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 5W  
**Power Factor :** >0.5  
**Light Source:** LED/COB  
**Luminous Flux:** 250 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MTLED031-10



**Technical Specification**

**Material:** Aluminum+PC  
**Finish Color:** Black/White  
**Driver Type:** DOB  
**Power Supply:** AC220-240V 50/60Hz  
**System Power:** 10W  
**Power Factor :** >0.5  
**Light Source:** LED/COB  
**Luminous Flux:** 500 lm  
**CCT:** 2700K/3000K/4000K  
**Color Rendering Index:** CRI:≥90  
**Optic:** Lens  
**Beam Angle:** 24°/36°  
**Lifespan:** 30000Hrs




Art No.LIC-MT1089



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** G9 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 3W




Art No.LIC-MT1087



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** G9 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 3W




Art No.LIC-MT1099-2



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** G9 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 2\*3W




Art No.LIC-MT1102



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** G9 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 3W




Art No.LIC-MT1074



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W




Art No.LIC-MT1098-MR11



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W




Art No.LIC-MT1097-MR11



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W




Art No.LIC-MT1056



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-MT1098-GU10



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-MT1097-GU10



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-MT1100



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W





Art No.LIC-MT1101



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-MT1104A



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-MT1104



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-MT1103A



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** E27 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 25W




Art No.LIC-MT1103



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** E27 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 25W




**TRACK ACCESSORIES**

**Surface Track**



**Technical Specification**  
**Art No.LIC-2M01**


**Material:** Aluminum+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 8A  
**Maximum Load:** 1600W  
**Safety Class:** 1  
**Ingress Protection:** IP20






**Technical Specification**  
Art No.LIC-2M02

**Material:** Aluminum+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 8A  
**Maximum Load:** 1600W  
**Safety Class:** 1  
**Ingress Protection:** IP20




**Technical Specification**  
Art No.LIC-2M01 A

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 4A  
**Maximum Load:** 800W  
**Safety Class:** 1  
**Ingress Protection:** IP20




**Technical Specification**  
Art No.LIC-2M01 IS

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 8A  
**Maximum Load:** 1600W  
**Safety Class:** 1  
**Ingress Protection:** IP20




**Technical Specification**  
Art No.LIC-2M01 IM

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 8A  
**Maximum Load:** 1600W  
**Safety Class:** 1  
**Ingress Protection:** IP20




**Technical Specification**  
Art No.LIC-2M01 L

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 8A  
**Maximum Load:** 1600W  
**Safety Class:** 1  
**Ingress Protection:** IP20



**Technical Specification**  
Art No.LIC-2M01 T

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 8A  
**Maximum Load:** 1600W  
**Safety Class:** 1  
**Ingress Protection:** IP20




X-feed



**Technical Specification**  
Art No.LIC-2M01 X

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 8A  
**Maximum Load:** 1600W  
**Safety Class:** 1  
**Ingress Protection:** IP20




Flexible Connector



**Technical Specification**  
Art No.LIC-2M01 F

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 8A  
**Maximum Load:** 1600W  
**Safety Class:** 1  
**Ingress Protection:** IP20




Pendant Clamp



**Technical Specification**  
Art No.LIC-2A04 D

**Material:** Aluminum+Stainless steel  
**Color:** Black/White




Power Feed



**Technical Specification**  
Art No.LIC-2M01 P

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 8A  
**Maximum Load:** 1600W  
**Safety Class:** 1  
**Ingress Protection:** IP20




End Cap



**Technical Specification**  
Art No.LIC-2M01 E

**Material:** PC  
**Color:** Black/White



# TWO WIRES SINGLE CIRCUIT



Art No.LIC-T1081



Art No.LIC-T1056-A



Art No.LIC-M010 O-W




Art No.LIC-T1021



Art No.LIC-T1067

PENDANT

Art No.LIC-C025 PMMA




Technical Specification

**Material:** Aluminum+PMMA  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-C025-200




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-T1049




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1047




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1048




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1067




Technical Specification

**Material:** Aluminum+Glass  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



SPOTLIGHT

Art No.LIC-T1074




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-T1019




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1019 PMMA




Technical Specification

**Material:** Aluminum+PMMA  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1020-B




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1056-A




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1011




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1079




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-M010 W-B




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-M010 O-W




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-C006-1




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1078




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1081




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1021





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (not included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



**TRACK ACCESSORIES**


**Surface Track**



**Technical Specification**  
**Art No.LIC-2A04**

**Material:** Aluminum+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20

**Adaptor**



**Technical Specification**  
**Art No.LIC-A038**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20


**Straight Connector**



**Technical Specification**  
**Art No.LIC-2A04I**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20


**I-feed**



**Technical Specification**  
**Art No.LIC-2A04IM**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20



**L-Connector**



**Technical Specification**  
**Art No.LIC-2A04L**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20



**T-Connector**



**Technical Specification**  
**Art No.LIC-2A04T**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20


**X-Connector**



**Technical Specification**  
**Art No.LIC-2A04X**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20


**Flexible Connector**



**Technical Specification**  
**Art No.LIC-2A04F**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20


**Power Feed**



**Technical Specification**  
**Art No.LIC-2A04P**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20


**End Cap**



**Technical Specification**  
**Art No.LIC-2A04C**

**Material:** PC  
**Color:** Black/White


**Pendant Sets**




**Technical Specification**  
**Art No.LIC-2A04D**

**Material:** Aluminum+Steel  
**Color:** Black/White

Adaptor With Cable (Round Ceiling Box)



Adaptor With Cable (Square Ceiling Box)





**Technical Specification**  
**Art No.LIC-2A04-A-R**


**Material:** PC+Steel  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20

**Technical Specification**  
**Art No.LIC-2A04-A-S**


**Material:** PC+Steel  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20



Adaptor With Cable (Round Ceiling Box)



Adaptor With Cable (Square Ceiling Box)





**Technical Specification**  
**Art No.LIC-2A04-IM-R**

**Material:** PC+Steel  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20

**Technical Specification**  
**Art No.LIC-2A04-IM-S**

**Material:** PC+Steel  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 6A  
**Maximum Load:** 1300W  
**Safety Class:** 1  
**Ingress Protection:** IP20



# THREE WIRES SINGLE CIRCUIT



Art No.LIC-T1088



Art No.LIC-T1054

Art No.LIC-T1091




Art No.LIC-T1098-GU10



Art No.LIC-T005

SPOTLIGHT

Art No.LIC-2055T-GU10




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1054




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1020




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1035




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-T005




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-T1056




Technical Specification

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1091




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1098-GU10




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1088





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 AR111 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 15W



Art No.LIC-T1077




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-T1082




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-T1103





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** E27 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 25W



TRACK ACCESSORIES


Surface Track



**Technical Specification**  
**Art No.LIC-3A01**

**Material:** Aluminum+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 10A  
**Maximum Load:** 2200W  
**Safety Class:** 1  
**Ingress Protection:** IP20


Adaptor



**Technical Specification**  
**Art No.LIC-3A073**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 10A  
**Maximum Load:** 2200W  
**Safety Class:** 1  
**Ingress Protection:** IP20

Straight Connector



**Technical Specification**  
**Art No.LIC-3A01 IS**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 10A  
**Maximum Load:** 2200W  
**Safety Class:** 1  
**Ingress Protection:** IP20


I-feed



**Technical Specification**  
**Art No.LIC-3A01 IM**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 10A  
**Maximum Load:** 2200W  
**Safety Class:** 1  
**Ingress Protection:** IP20


L-feed



**Technical Specification**  
**Art No.LIC-3A01 L**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 10A  
**Maximum Load:** 2200W  
**Safety Class:** 1  
**Ingress Protection:** IP20



T-feed



**Technical Specification**  
**Art No.LIC-3A01 T**

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 10A  
**Maximum Load:** 2200W  
**Safety Class:** 1  
**Ingress Protection:** IP20


X-feed



**Technical Specification**  
Art No.LIC-3A01 X

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 10A  
**Maximum Load:** 2200W  
**Safety Class:** 1  
**Ingress Protection:** IP20


Flexible Connector



**Technical Specification**  
Art No.LIC-3A01 F

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 10A  
**Maximum Load:** 2200W  
**Safety Class:** 1  
**Ingress Protection:** IP20


Power Feed



**Technical Specification**  
Art No.LIC-3A01 P

**Material:** PC+Copper  
**Color:** Black/White  
**Working Voltage:** 220-240V 50/60Hz  
**Current:** Max 10A  
**Maximum Load:** 2200W  
**Safety Class:** 1  
**Ingress Protection:** IP20


End Cap




**Technical Specification**  
Art No.LIC-3A01 E

**Material:** PC+Copper  
**Color:** Black/White

# CEILING RECESSED



Art No.LIC-D088



Art No.LIC-D087



Art No.LIC-8568R




Art No.LIC-7066



Art No.LIC-8370R-C

Art No.LIC-D085





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-D086




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-D087




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 2\*5W



Art No.LIC-D088




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 3\*5W



Art No.LIC-7066




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-7067




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-7166




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-7167





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-D062-54




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-D090-1




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-D090-1L




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 5W



Art No.LIC-7087





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-7086




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-7187




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-7186




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-8568R




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-8568S




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-8575R-B





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-8575S-B




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-158R




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-158C





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-1022A





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-1021A





**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-8370R-C




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-8370S-C




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-1226 IP65




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-1227 IP65




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-D062-60




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-D057A




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-E13A



**Technical Specification**  
 GU10 Lampholder With Gearbox  
 Material: Ceramic+Silicon+Iron  
 Working Voltage: 250V



Art No.LIC-E13B



**Technical Specification**  
 GU10 Lampholder With Gearbox  
 Material: Ceramic+Silicon+Iron  
 Working Voltage: 250V




Art No.LIC-E13C



**Technical Specification**  
 GU10 Lampholder  
 Material: Ceramic+Silicon  
 Working Voltage: 250V



Art No.LIC-E13D



**Technical Specification**  
 GU10 Lampholder  
 Material: Ceramic+Silicon  
 Working Voltage: 250V




Art No.LIC-E13E



**Technical Specification**  
 GU10 Lampholder  
 Material: Ceramic+Teflon  
 Working voltage: 250V



# CEILING SURFACE




Art No.LIC-C085




Art No.LIC-C076-54



Art No.LIC-1032



Art No.LIC-C086




Art No.LIC-1207S



Art No.LIC-1107S

Art No.LIC-C085




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-C086




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-1032




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-1107R




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-1107S




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-1207S




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** 2X GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-C073




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-C074




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-C076-54




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** Mini GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-C076-70




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-C081




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Gold+Chrome/Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-C083




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Gold+Chrome/Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



# CEILING SUSPENDED


Art No.LIC-T1068 MINI



Art No.LIC-T1075-70




Art No.LIC-T1068



Art No.LIC-T1075-85



Art No.LIC-T1068 MINI




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1068




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1075-70




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-T1075-85



**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




# WALL SURFACE

Art No.LIC-W004-200




Art No.LIC-W007-1




Art No.LIC-W007-2



Art No.LIC-W003-110



Art No.LIC-W003-110




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W



Art No.LIC-W004-200




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** 2X GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 2\*7W



Art No.LIC-W007-1




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 7W




Art No.LIC-W007-2




**Technical Specification**

**Material:** Aluminum  
**Finish Color:** Black/White  
**Light Source:** 2X GU10 (Not Included)  
**Power Supply:** AC220-240V 50/60Hz  
**Power:** Max 2\*7W





**LegendLite**  
Your better *lighting* partner



@LEGENDLITE\_OFFICIAL

Email: [lic@legendlite.com](mailto:lic@legendlite.com)  
[www.legendlite.com](http://www.legendlite.com)